



## Wine Storage

Sophistication For Your Home

Quality, Design and Innovation



# LIEBHERR



# Features of Liebherr Wine Cabinets



LED

**LED lighting:** The light in the wine cooling compartments can be dimmed to give a pleasing ambient light inside the appliance.



**Presentation shelf:** The practical shelf of the Vinidor models fulfills both bottle storage and presentation functions. The bottles can be stored horizontally at the rear.



**Activated charcoal filter:** Liebherr wine cabinets have a permanent supply of odourless, fresh air via an easily exchangeable activated charcoal filter.



**Integrated lock:** Nicely concealed into the side of the door, this sturdy lock protects your fine wine collection.



**Electronic LCD display:** Intuitive navigation of touch electronic control system enables tailored storage options. The digital temperature display can be viewed via the UV tinted glass door.



**Compressors:** Specially developed compressors installed in the wine cabinets from Liebherr ensure that the wines are stored in a particularly low vibration environment.

The features shown are model dependent; the description applies to the relevant model.

# Wine Cabinets



	<b>WKt 6451</b> GrandCru <span>LED Wine</span>	<b>WTes 5872</b> Vinidor <span>LED Wine Soft System Telescopic Rails</span>	<b>WTes 5972</b> Vinidor <span>LED Wine Telescopic Rails</span>
Energy consumption (kWh/y) <sup>1</sup>	143	245	248
Total capacity litre	625	511	526
Max. No. of Bordeaux bottles (0.75l) <sup>2</sup>	312	178	211
Number of shelves	7	13	10
Shelves on telescopic rails	0	10	8
Shelf material	beech wood shelves	beech wood shelves	beech wood shelves
Presentation shelf	0	1	1
Electronic control	MagicEye with digital temp. display, key electronic	LCD temp. display for 3 wine zones, touch electronic	LCD temp. display for both wine zones, touch electronic
Temperature range °C	+5 °C to +20 °C	+5 °C to +20 °C	+5 °C to +20 °C
Temperature zones	1	3	2
Temperature alarm	visual and acoustic	visual and acoustic	visual and acoustic
Interior light	LED interior lighting	LED lighting permanently on, dimmable	LED lighting permanently on, dimmable
Door alarm	acoustic	acoustic	acoustic
Safety thermostat	yes	yes	yes
Activated Charcoal filter	yes	yes	yes
Door type	full door, terra	glass door with stainless steel frame	glass door with stainless steel frame
Integrated lock	yes	yes	yes
SoftSystem	no	yes	no
Door hinges	right, reversible	right, reversible	right, reversible
Product dimensions (H/W/D) mm <sup>1</sup>	1930 / 747 / 759	1920 / 700 / 742	1920 / 700 / 742
Net weight kg	86	135	124
Voltage V/Hz	220–240/50	220–240/50	220–240/50
<b>Installation Diagram</b>			

<sup>1</sup> To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.  
<sup>2</sup> These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm).

# Wine Cabinets



	<b>WKb 4612</b> Barrique <span style="background-color: #ADD8E6; padding: 2px;">LED</span> <span style="background-color: #F08080; padding: 2px;">Wine</span>	<b>WKb 4611</b> Barrique <span style="background-color: #F08080; padding: 2px;">Wine</span>	<b>WKb 4112</b> Barrique <span style="background-color: #ADD8E6; padding: 2px;">LED</span> <span style="background-color: #F08080; padding: 2px;">Wine</span>	<b>WKb 1712</b> Barrique <span style="background-color: #ADD8E6; padding: 2px;">LED</span> <span style="background-color: #F08080; padding: 2px;">Wine</span>
Energy consumption (kWh/y) <sup>1</sup>	204	175	178	149
Total capacity litre	336	336	293	121
Max. No. of Bordeaux bottles (0.75l) <sup>2</sup>	195	195	168	60
Number of shelves	7	7	6	3
Shelf material	beech wood shelves	beech wood shelves	beech wood shelves	beech wood shelves
Presentation shelf	1	0	1	0
Electronic control	MagicEye with digital temp. display, key electronic	MagicEye with digital temp. display, key electronic	MagicEye with digital temp. display, key electronic	MagicEye with digital temp. display, key electronic
Temperature range °C	+5 °C to +20 °C	+5 °C to +20 °C	+5 °C to +20 °C	+5 °C to +20 °C
Temperature zones	1	1	1	1
Temperature alarm	visual and acoustic	visual and acoustic	visual and acoustic	visual and acoustic
Interior light	LED interior lighting	light bulb	LED interior lighting	LED interior lighting
Door alarm	acoustic	acoustic	acoustic	acoustic
Safety thermostat	yes	yes	yes	yes
Activated Charcoal filter	yes	yes	yes	yes
Door type	glass door with handle, frame black	full door with handle, black	glass door with handle, frame black	glass door with handle, frame black
Integrated lock	yes	yes	yes	yes
Door hinges	right, reversible	right, reversible	right, reversible	right, reversible
Product dimensions (H/W/D) mm <sup>1</sup>	1842 / 657 / 663	1842 / 657 / 663	1645 / 657 / 663	850 / 657 / 663
Net weight kg	86	68.5	78	45
Voltage V/Hz	220–240/50	220–240/50	220–240/50	220–240/50
<b>Installation Diagram</b>				

<sup>1</sup> To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

<sup>2</sup> These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm).






### WKgb 4113 Barrique

LED Wine

Energy consumption (kWh/y)	204
Total capacity litre	293
Max. No. of Bordeaux bottles (0.75l) <sup>1</sup>	168
Number of shelves	6
Shelf material	beech wood shelves
Presentation shelf	1
Electronic control	MagicEye with digital temp. display, key electronic
Temperature range °C	+5 °C to +20 °C
Temperature zones	1
Temperature alarm	visual and acoustic
Interior light	LED interior lighting
Door alarm	acoustic
Safety thermostat	yes
Activated Charcoal filter	yes
Door type	full glass door with recessed side handle, frame black
Integrated lock	yes
Door hinges	right
Product dimensions (H/W/D) mm	1645 / 657 / 663
Net weight kg	78
Voltage V/Hz	220–240/50

### Installation Diagram








Click the link to directly access  
our social media channels:  
[socialmedia.home.liebherr.com](https://socialmedia.home.liebherr.com)

For more information please visit us at:

## Andi-Co Australia

Head Office  
1 Stamford Road, Oakleigh Victoria 3166  
Phone: 1800 685 899  
Fax: 03 9569 1450  
Email: [sales@andico.com.au](mailto:sales@andico.com.au)

[home.liebherr.com.au](https://home.liebherr.com.au)



Your local Liebherr authorised dealer will help you make the right choice of refrigeration for your lifestyle.