

 KLASSE
by Schweigen



“My kitchen designs speak volumes, your rangehood doesn’t have to!”

Kitchens are the heart and soul of the home. They are where we meet, create, eat and entertain. A haven which is a special place and unique for every family.

As an award winning designer I have created a countless number of kitchens both locally and overseas. I work closely with my clients to create their dream space and turn their kitchens into works of art.

My kitchen designs speak volumes; your rangehood doesn’t have to.

Schweigen Silent Rangehoods provide a premium look and feel without the noise associated with regular rangehoods. They combine stunning aesthetics and brilliant performance with silent extraction so you can enjoy the conversations, the laughter and the memories of the moments spent in your kitchen for years to come.

Mal Corboy

Award Winning International Designer

Index

The 6 Cornerstones of Schweigen 4

Ceiling Cassette 6-11

Paradigma 6

Inart 4M 8

Fortune 10

Wall Mount 12-23

Andromeda 12

Regatta 14

Alba 16

Fortune Curve 18

Professional 20

Line 22

Undermount 24-27

Glass 24

Catalonia 26

Information 28-39

How to choose the right rangehood for your kitchen? 28

Step 1: Choose your rangehood design 29

Step 2: Choose the power option of your Silent Isodrive motor 33

Step 3: Enjoy your conversations in the kitchen again 35

Specifications 36

Technical Drawings 38

The 6 Cornerstones of Schweigen



Manufactured in Europe

Klasse by Schweigen rangehoods are designed and manufactured in Europe. Fabricated manually and in small batches, these rangehoods exhibit paramount quality and finishing.

Distinguished design and quality.

Research

Our research takes us around the world in an effort to deliver the best possible product. We place great emphasis on researching and developing new rangehoods that possess the latest technological solutions such as low energy lighting, more efficient extraction and many other advanced solutions. It is because of this that we are able to consistently provide high performance products.

Technology guides us.

Aesthetics

We along with our European partners work closely with International Design Studios and Industrial Design Institutions. This allows us to combine our in-depth know-how in rangehoods, with their experience and knowledge in design to provide innovative style and technical solutions in our products. The aesthetics and design of our products allow us to provide our customers rangehoods that bring them uniqueness and differentiation.

Design and innovation moves us.



Customers

At Schweigen, we believe that by listening to our customers we can continue to provide innovative products that exhibit the highest of qualities. Our experienced sales team are there to provide helpful advice and our service department are there to serve our customers as best as possible.

Customers make us evolve.

Ambition

We have the ambition to go further, to provide solutions, to identify needs, to innovate, to surprise and to achieve! The ambition to deliver products that we feel proud of and to provide a service that our customers deserve. The ambition to maintain our success as the biggest and best rangehood company in Australia, which motivates each and every one of our employees.

Ambitions make us stronger.

New Products

Schweigen offers customers a wide range of products to suit all types of kitchen needs. With innovative extraction solutions and the latest ultra-modern designs we are committed to providing our customers the most advanced products available in the market.

A wide range with bright solutions.

Paradigma

Decorative, silent and powerful, the Paradigma will efficiently remove all odours from your kitchen. Aesthetically beautiful, our latest ceiling rangehood exquisitely integrates ambient lighting that is designed with imagination! Suited to every home, the Paradigma sets a new standard in elegance.


Features

- › Automatic power-off
- › Perimeter aspiration
- › Silent motor system, up to 3000m³/hr
- › Fluorescent light
- › 4 extraction speeds
- › Comes as a set of four (1 control module plus 3 subordinates)
- › Dishwasher safe aluminium filters
- › Remote control for control module*
- › 3 year warranty on the rangehood


**Note: This model is controlled by remote control only. Schweigen recommends using waterproof paint on the ceiling of the kitchen.*

Available In

- › Stainless Steel, 360 x 360mm [CC-PARA4S]
- › White, 360 x 360mm [CC-PARA4W]



Right: Brilliant design combines the light and extraction fan in the same unit.





Inart 4M

Our ceiling and cassette rangehoods offer a new alternative for the modern home and are designed to function in large open plan living areas. With its generous dimensions, coherent power and intense suction that is targeted along the sides of the unit, the Inart 4M handles intense cooking with ease and actively works to remove all grease and odours from your kitchen.

Features

- › Stainless steel finish
- › Perimeter aspiration
- › Dishwasher safe aluminium filters
- › Silent motor system, up to 3000m³/hr
- › Automatic power-off
- › LED lights
- › 4 extraction speeds
- › Remote control*
- › 3 year warranty on the rangehood

**Note: This model is controlled by remote control only. Schweigen recommends using waterproof paint on the ceiling of the kitchen.*

Available In

- › 2000 x 1000mm [CC-INARTS]



Right: Stainless steel finish with energy efficient LED lights.



Ceiling Cassette

Fortune

Glamorous and sophisticated, the Fortune ceiling and cassette rangehood is an exciting addition to the Klasse range. Breathtakingly beautiful, this unique rangehood has a magic all of its own and offers you an exclusively designed and stunning alternative. The Fortune is designed to make a statement and will enhance the overall appearance of any modern kitchen.

Features

- › Stainless steel and glass finish
- › Dishwasher safe aluminium filters
- › Automatic power-off
- › Perimeter aspiration
- › Silent motor system, up to 3000m³/hr
- › LED lights
- › 4 extraction speeds
- › Remote control*
- › 3 year warranty on the rangehood

**Note: This model is controlled by remote control only. Schweigen recommends using waterproof paint on the ceiling of the kitchen.*

Available In

- › 1300 x 800mm [CC-FORS]



Perimeter
Aspiration



Right: Brilliant design combines the light and extraction fan in the same unit.



Andromeda

The Andromeda's minimalistic and clean lines will enhance any kitchen. By combining luminous strip lighting with warm timber, it creates not only a unique look, but an ambience as well. The Andromeda is aesthetically pleasing to the eye, exuding both style and elegance. With the revolutionary Balanced Aspiration system, the Andromeda provides a unique distribution of airflow which creates a higher than normal level of suction at both ends of the rangehood. The Andromeda is perfect for anyone who wishes to create a warm and cosy feel in the kitchen.


Features

- › Wood-glass finish
- › Dishwasher safe stainless steel filters
- › Automatic power-off
- › Silent motor system, up to 1600m³/hr
- › Strip LED illumination plus halogen lights
- › 4 extraction speeds with remote control*
- › Balanced aspiration system
- › 3 year warranty on the rangehood

**Note: This model is controlled by remote control only.*

Available In

- › 900 x 520mm [KLS-ANDRO9S]



Right: Charcoal Blue



Wall Mount

Regatta

The aesthetically unique Regatta has mastered the art of combining silent performance with stunning design, making it a focal point of any modern kitchen. Innovative in appearance, it will transform any kitchen into a unique and distinctive environment. The Regatta is perfect for those who wish to make a statement with their choice of rangehood!

Features

- › Stainless steel finish
- › Dishwasher safe stainless steel filters
- › Automatic power-off
- › LED lights
- › Silent motor system, up to 1600m³/hr
- › 4 extraction speeds with electronic control
- › Easy clean
- › Remote control*
- › 3 year warranty on the rangehood

**Note: This model is controlled by remote control only.*

Available In

- › 805 x 524mm [KLS-REG9S]



White exterior and interior.



Wall Mount

Picture is for illustrative purposes only, the actual product comes in Black exterior and interior or White exterior and interior.

Alba


Offering optimal levels of illumination and a sleek modern design, the Alba will easily blend into any modern or contemporary kitchen. With the revolutionary Balanced Aspiration system, the Alba provides a unique distribution of airflow which creates a higher than normal level of suction at both ends of the rangehood. This produces an even and balanced suction throughout the hood.

Features


- › Stainless steel and glass finish
- › Dishwasher safe stainless steel filters
- › Automatic power-off
- › Balanced aspiration system
- › Silent motor system, up to 1600m³/hr
- › Fluorescent and halogen lighting
- › 4 extraction speeds with touch control
- › 3 year warranty on the rangehood

Available In

- › White Glass, 900 x 520mm [KLS-ALBW9S]
- › Black Glass, 900 x 520mm [KLS-ALBB9S]



4 speed touch control





Wall Mount



Fortune Curve

Created with passion for the most discerning of customers, the Fortune Curve will turn your kitchen into a work of art! With its brilliant lighting, sleek curves and colourful appearance, this ultra-modern, super stylish and unique rangehood encompasses both innovation and practicality.


Features

- › Stainless steel and glass finish
- › Dishwasher safe aluminium filters
- › Automatic power-off
- › Silent motor system, up to 1600m³/hr
- › Perimeter aspiration
- › Halogen lights
- › 4 extraction speeds remote control*
- › Main panels available in white or black colour only
- › 3 year warranty on the rangehood

**Note: This model is controlled by remote control only.*

Available In

- › 900 x 436mm [KLS-FOR9S]



Right: Curved glass detail



Wall Mount

Picture is for illustrative purposes only, the main panels available in white or black colour.

Professional

The Professional is capable of handling the most challenging of culinary habits, including stir-frying and grilling. Klasse's Professional rangehood integrates a high level of performance within a more traditional look rangehood. The Professional is ideal for use above a large upright or free standing stove.

Features

- › Stainless steel finish
- › Dishwasher safe stainless steel filters
- › Automatic power-off
- › Silent motor system, up to 1600m³/hr
- › Halogen lights
- › 4 extraction speeds with electronic control
- › 3 year warranty on the rangehood

Available In

- › 900 x 500mm [KLS-PRF9S]



Electronic controls with features such as thermometer, timer and indicators.



Wall Mount

Line

Designed to incorporate the exclusive Balanced Aspiration system, the Line provides a unique distribution of airflow which creates a higher than normal level of suction at both ends of the rangehood. This produces an even and balanced suction throughout the rangehoods. Using our innovative technology, we have revolutionised our rangehoods' performance, exceeding all Australian standards. The Line is most suited to the cook who consistently uses multiple burners at once.

Features


- › Stainless steel finish
- › Dishwasher safe stainless steel filters
- › Automatic power-off
- › Silent motor system, up to 1600m³/hr
- › Halogen lights
- › 4 extraction speeds with electronic control
- › Easy clean
- › Balanced aspiration system
- › 3 year warranty on the rangehood

Available In

- › 900 x 520mm [WM-LIN9S]



Electronic controls





Wall Mount

Glass

Klasse's new Glass Undermount offers an easy to clean surface with delicate lines and luminous strip lighting. Featuring a striking glass finish, this fully integrated rangehood is hidden within the cabinetry. This is the perfect solution for busy families that wish to reduce cleaning time.

Features

- › Glass finish
- › Dishwasher safe aluminium filters
- › Automatic power-off
- › Perimeter aspiration
- › Silent motor system, up to 1600m³/hr
- › Strip LED illumination
- › 4 extraction speeds with touch control
- › 3 year warranty on the rangehood

Available In

- › White Glass, 895 x 295mm [KLS-9GLASS]
- › Black Glass, 895 x 295mm [KLS-9GLASSBLKS]



Right: The filter is concealed behind the glass cover



Perimeter
Aspiration





Undermount

Catalonia


Concealed and undermount style rangehoods have revolutionised the way we look at modern kitchen ventilation. Hidden underneath the cabinetry, they are neither seen nor heard as they actively target and remove grease and odours from your kitchen. The Catalonia is perfect for those who desire a fully integrated kitchen, rather than the more traditional rangehood setting.

Features

- › Dishwasher safe stainless steel filters
- › Automatic power-off
- › Halogen lights
- › Silent motor system, up to 1600m³/hr
- › 4 extraction speeds with electronic control
- › 3 year warranty on the rangehood

Available In

- › 895 x 295mm [GA-900S]



Electronic control buttons



Undermount

How to choose the right rangehood for your kitchen?

Choosing the right rangehood for your kitchen can often be a tiresome task. With the many types of options available in the market for you to choose from it can easily get confusing and you soon find yourself back at square one deciding on what is important for you. At Schweigen we understand this dilemma and have made it as easy as possible to choose the perfect rangehood for your kitchen.

By following our 3 step process, choosing the perfect Schweigen rangehood is really as easy as 1, 2, 3!

Step 1

Choose your rangehood design



Step 2

Choose the power option of your Silent Isodrive motor



Step 3

Enjoy your conversations in the kitchen again



Step 1: Choose your rangehood design

Rangehood Type

Depending on your kitchen configuration you will need to choose the right type of rangehood design to suit your needs.



Ceiling Cassettes

Installed into the ceiling or a bulkhead this type of rangehood is perfect for modern open plan kitchens.



Wall Canopies

Positioned against a wall over your cooktop. Perhaps the most common type of rangehood.




Undermount Rangehoods

Built into a cupboard above your cooktop, this is the best way to hide away your rangehood.


Rangehood Size

The choice of an appropriate rangehood size in relation to the cooking area is essential for a satisfactory technical operation.




OPTIMAL

Rangehood bigger than the cooking area.



ADEQUATE

Rangehood equal to the cooking area.



INADEQUATE


Rangehood smaller than the cooking area.

Types of Aspiration*

Perimeter Aspiration — Efficiency, without compromising aesthetics

Unlike traditional rangehoods where the filters cover most of the surface area, the Perimeter Aspiration system is designed to create perimeter ventilation. It achieves this by increasing suction, targeting airflow and channelling it around the entire edge of the rangehood. This facilitates the capture and filtering of odours generated by cooking. The Perimeter Aspiration system is based on the Venturi effect, a system which is designed to compress and increase the flow of air.

With a specially designed cover made from either glass or stainless steel, these units are easy to clean and aesthetically pleasing to the eye.



Types of Aspiration*


Balanced Aspiration System (B. A. System) – Highly efficient and easy to clean

Schweigen introduces a breakthrough in domestic rangehood technology which enables our rangehoods to maintain a high level of absorption and performance across the entire surface area of the filters.

Working with our European partners, our Balanced Aspiration system is precisely controlled by a perforated inner panel, that produces the most effective and even ventilation system possible.


The B. A. System is designed for easy clean-up, due to the impenetrable plate that is affixed to the filters. This creates a barrier that stops grease from building up inside the rangehood and prevents grease from accessing the mechanical and electrical components and ensures user safety.

Improvement example of the aspiration of a 1200mm rangehood with a 900mm cooking zone.



TRADITIONAL

Optimal Intake Zone: **30%** of the cooking zone.



B. A. SYSTEM

Optimal Intake Zone: **More than 80%** of the cooking zone.




B. A. System internal Details

*Note: Approximate data, results of the average behaviour of all the products in the range. *Only available on selected models.*


Step 2: Choose the power option of your Silent Isodrive motor

The level of suction required from your rangehood will depend on the type of food you cook and the amount of cooking you undertake. A rangehood with sufficient power will ensure that all smoke, steam and odours are removed from your kitchen.



“ The Isodrive motor is so reliable we have backed it with a 10 year motor warranty. ”


isodrive



Light Cooking

Single External Motor


- › 650m³/hr airflow
- › 3 x energy efficient
- › German manufactured motor
- › The motor housing is made from ASA, the most durable of plastics in direct sunlight. The electrics are totally concealed and not affected by the weather
- › Motor comes with flexi ducting, solid roof extension pipe and bell housing
- › 10 year warranty
- › Types of installation: roof, wall and eaves



Moderate Cooking

Twin External Motor


- › 1100m³/hr airflow
- › 3 x energy efficient
- › German manufactured motor
- › The motor housing is made from ASA, the most durable of plastics in direct sunlight. The electrics are totally concealed and not affected by the weather
- › Motor comes with flexi ducting, solid roof extension pipe and bell housing
- › 10 year warranty
- › Y joint may be required
- › Types of installation: roof, wall and eaves



Heavy Cooking

Powerful External Motor


- › 1600m³/hr airflow
- › 3 x energy efficient
- › German manufactured motor
- › The motor housing is powder coated galvanized steel, which can be painted to any colour of your choice
- › Motor comes with flexi ducting, solid roof extension pipe and bell housing
- › 10 year warranty
- › Types of installation: roof and wall



Supreme Cooking

Twin Powerful External Motor

- › 3000m³/hr airflow
- › 3 x energy efficient
- › German manufactured motor with 10 year warranty
- › The motor housing is powder coated galvanized steel, which can be painted to any colour of your choice
- › Motor comes with flexi ducting, solid roof extension pipe and bell housing
- › Y joint may be required
- › Types of installation: roof and wall
- › This system is primarily used with ceiling cassette rangehoods














Step 3: Enjoy your conversations in the kitchen again

With the external Isodrive motor installed alongside your new silent rangehood, you will now be able to enjoy the conversations, the laughter and the memories of the moments spent in your kitchen for years to come.



Specifications

Model	Style	Size (mm)	Filter Type	Filter Quantity	Fan Speed	Finish/Colour
CC-PARA4S	Ceiling Cassette	360 x 360	Aluminium	1	4	Stainless Steel
CC-PARA4W	Ceiling Cassette	360 x 360	Aluminium	1	4	White Lacquered
CC-INARTS	Ceiling Cassette	2000 x 1000	Aluminium	8	4	Stainless Steel
CC-FORS	Ceiling Cassette	1300 x 800	Aluminium	4	4	Stainless Steel and Glass
KLS-ANDRO9S	Wall Mount	900 x 520	Stainless Steel	2	4	Stainless Steel and Wood
KLS-REG9S	Wall Mount	805 x 524	Stainless Steel	2	4	Stainless Steel and Glass
KLS-ALBW9S	Wall Mount	900 x 520	Stainless Steel	3	4	Stainless Steel and White Glass
KLS-ALBB9S	Wall Mount	900 x 520	Stainless Steel	3	4	Stainless Steel and Black Glass
KLS-FOR9S	Wall Mount	900 x 436	Aluminium	4	4	Stainless Steel and Glass
KLS-PRF9S	Wall Mount	900 x 500	Stainless Steel	3	4	Stainless Steel
WM-LIN9S	Wall Mount	900 x 520	Stainless Steel	3	4	Stainless Steel
KLS-9GLASS	Undermount	895 x 295	Aluminium	1	4	White Glass
KLS-9GLASSBLKS	Undermount	895 x 295	Aluminium	1	4	Black Glass
GA-900S	Undermount	895 x 295	Stainless Steel	1	4	Stainless Steel

Model	Motor Options (m³/h)	Control	Light Type	Light Quantity	Perimeter Aspiration	BA System
CC-PARA4S	1600 / 3000	Remote	Fluorescent	4		-
CC-PARA4W	1600 / 3000	Remote	Fluorescent	4		-
CC-INARTS	3000	Remote	LED	10		-
CC-FORS	1600 / 3000	Remote	LED	24 (1 plate)		-
KLS-ANDRO9S	650 / 1100 / 1600	Remote	Strip LED and Halogen	1 Strip LED and 2 Halogen	-	
KLS-REG9S	650 / 1100 / 1600	Remote	LED	6	-	-
KLS-ALBW9S	650 / 1100 / 1600	Touch	Fluorescent and Halogen	1 Fluorescent and 2 Halogen	-	
KLS-ALBB9S	650 / 1100 / 1600	Touch	Fluorescent and Halogen	1 Fluorescent and 2 Halogen	-	
KLS-FOR9S	650 / 1100 / 1600	Remote	Halogen	4		-
KLS-PRF9S	650 / 1100 / 1600	Electronic	Halogen	2	-	-
WM-LIN9S	650 / 1100 / 1600	Electronic	Halogen	2	-	
KLS-9GLASS	650 / 1100 / 1600	Touch	Strip LED	1		-
KLS-9GLASSBLKS	650 / 1100 / 1600	Touch	Strip LED	1		-
GA-900S	650 / 1100 / 1600	Electronic	Halogen	2	-	-


Consumer Information

Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with the manufacturer to ensure this publication correctly describes the products being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Schweigen Home Appliances will not be liable for any loss, liability or damage of whatever kind arising as a result of any reliance upon such information. Colours of products illustrated are as close as printing limitations allow. All pictures used in the brochure are for illustrative purposes only.

Technical Drawings


Paradigma (CC-PARA4S, CC-PARA4W)

Air outlet $\varnothing 200$ - Fitting measures 340 x 340




Inart 4m (CC-INARTS)

Air outlet 2 x $\varnothing 200$ - Fitting measures 1930 x 930




Fortune (CC-FORS)

Air outlet 2 x $\varnothing 200$ - Fitting measures 1230 x 700




Andromeda (KLS-ANDRO9S)

Air outlet $\varnothing 200$




Regatta (KLS-REG9S)

Air outlet $\varnothing 200$




Alba (KLS-ALBW9S, KLS-ALBB9S)

Air outlet $\varnothing 200$




Fortune Curve (KLS-FOR9S)

Air outlet Ø200




Professional (KLS-PRF9S)

Air outlet Ø200




Line (WM-LIN9S)

Air outlet Ø200




Glass (KLS-9GLASS, KLS-9GLASSBLKS)

Air outlet Ø200



Catalonia (GA-900S)

Air outlet Ø200



Consumer Information

Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with the manufacturer to ensure this publication correctly describes the products being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Schweigen Home Appliances will not be liable for any loss, liability or damage of whatever kind arising as a result of any reliance upon such information. Colours of products illustrated are as close as printing limitations allow. All pictures used in the brochure are for illustrative purposes only.



K K L A S S E
by Schweigen

Unit 102/45 Gilby Road, Mount Waverley, Victoria 3149

T: 1300 881 693 | F: 1300 881 639 | www.schweigen.com.au

Distributed by:

